LOW ENVIRONMENTAL IMPACT FAMILY TENT



FUNGI / MOLD RESISTANT



ALL CLIMATES



AUGMENTED UV RESISTANCE



FIRE RETARDANT



LOW ENVIRONMENTAL IMPACT



LONG LASTING





DESCRIPTION

- » Family Tent made PE materials
- » 5-person Family Tent with inner liner
- » Suitable for all climates
- » UV-Resistant

OUTER TENT

COLOR

- » Optimal ventilation
- » Reduced weight

- » Fire Retardant (EN13823-A1)
- » Not sensitive to fungi or mold
- » Materials are easy to clean and disinfect with active agents
- » Fabrics made with recycled materials
- » Long lasting
- » Repair kit included

MAIN MATERIALS

Woven High-Density Polyethylene (HDPE) Black Fibers, White LDPE Coating on Both

Side, 170gsm +/- 10 grams with up to 15% post consumer recycled materials

Flame Retardant (EN13823-A1)

130 gsm polyester fabric, containing 45% recycled yarn

Flame Retardant (CPAI 84-6, M1 and B2)

GROUND SHEET Sewn in bathtub ground sheet made of woven PE 170 gsm +/- 10 grams

MUD FLAP Woven PE 170 gsm +/- 10 grams

MOSQUITO NETTING Polyester PVC coated

POLES 1 ridge pipe 4 m | 2 upright poles 2,2 m | 6 side poles 1,25 cm | 4 door poles 1,4 m
PEGS 6 T pegs (25 x 25 x 3 mm) 40 cm | 4 candy cane pegs 30 cm | 26 o pegs 23 cm

Outer tent: white

Inner tent: sand / cream



LOW ENVIRONMENTAL IMPACT FAMILY TENT

DIMENSIONS

LENGTH x WIDTH OUTER TENT 660 x 400 cm FLOOR AREA 23 m²
CENTRAL HEIGHT 220 cm VESTIBULE 16m²

DOOR HEIGHT 140 cm LENGTH x WIDTH INNER TENT 395 x 380 cm

WALL HEIGHT 125 cm CENTRAL HEIGHT INNER TENT 210 cm WEIGHT 51 kg INNER SIDE WALL HEIGHT 115 cm

PERFORMANCE AND CHARACTERISTICS

LIFE SPAN Min. 3 year in all climates

SHELF LIFE Min. 5 years in normal warehouse conditions

RESISTANCE TO WEATHERING

Core treated with UV stabilisers

No harmful chemical surface treatments

RESISTANCE TO FUNGI Synthetic fabric, not sensitive to fungi

SETUP Easy setup (20 min | 3 persons)

TENT FEATURES

DOORS 2 doors outer tent (130 x 140 cm), 1 front and 1 back

2 doors inner tent (100 x 175 cm), 1 front and back

WINDOWS 2 long side windows outer tent (360 x 60 cm)

2 ventilation openings, front and back on outer tent VENTILATION

1 long ridge ventilation + 2 upper gable ventilations on inner tent

CHIMNEY 1 heat resistant chimney reinforcement in inner and outer tent



SUSTAINABILITY

RECYCLED MATERIALS Made with 15% post consumer recycled materials.

No use of phosphorus-based Flame Retardant (FR) additives. FR additives

TREATMENTS are embedded into the yarn during the manufacturing process. No chemical additives on

the surface.

PACKAGING Made from sustainable materials, designed for second life. No unnecessary single-use plastics.

TRANSPORT Packaging, pallets and loading are optimised

DURABILITY Made with longlasting materials to improve lifespen

REPAIR Easy to repair. Supplied with repair kit.

SECOND LIFE USE Designed for second life purposes

MARKING Printing with no harmful water based ink on sustainable sticky tape.





LOW ENVIRONMENTAL IMPACT FAMILY TENT

PACKING

PACKING UNIT (P.U.)

Tent in PE bag, with seperated webbing bands + handle

CONTENT P.U. Tent, inner tent with groundsheet, poles, accessories and hammer

QTY P.U. 1 piece

DIMENSIONS: 230 x 35 x 30 cm

P.U. MEASUREMENTS WEIGHT: 51 kg

VOLUME: 0,241 m³

QTY PALLET 15 pcs per metal stackable pallet

DIMENSIONS: 230 x 120 x 112,5 cm

PALLET MEASUREMENTS WEIGHT: 799 kg

VOLUME: 3,105 m³

PER 20 FT DC 170 pcs unpalletized | 150 pcs palletized PER 40 FT DC 310 pcs unpalletized I 300 pcs palletized

PER 40 FT HC 350 to 380 pcs unpalletized | 300 pcs palletized

INDICATED WEIGHTS AND VOLUMES ARE FOR YOUR INFORMATION ONLY AND MAY VARY ACCORDING TO PRODUCT SPECIFICATION. FOR ALLDIMENSIONS AND WEIGHTS A TOLERANCE OF 3% IS APPLIED

ADD-ONS

LOADING

Winterization kit

Shade net

Specifications & design may be altered without notice due to continuous product development.



LOW ENVIRONMENTAL IMPACT FAMILY TENT

VISUAL REFERENCES











LOW ENVIRONMENTAL IMPACT FAMILY TENT

VISUAL REFERENCES















LOW ENVIRONMENTAL IMPACT FAMILY TENT

VISUAL REFERENCES







